

shape  
FURNITURE



# BREEZE II WORKSTATION SYSTEM



# Breeze II Range

## Straight Top Options


### WORK TOP

- Finished height 720mm + 10mm adjustable feet
- 25mm "E0" Melamine (Environmentally-Friendly)
- 2 x 80mm cable holes
- QuickShip melamine colour - White 20 (other colours available \$POA)
- 2mm impact resistant solid PVC edging
- 750mm deep in 3 lengths


### C-LEG FRAME (without top)

- Finished height 695mm + 10mm adjustable feet
- Extendable beams for support
- Finish - White or silver powder coat
- Strong steel construction
- Provision to run power & data in leg and beam
- Foot - 635mm or 420mm, prices based on 635mm


### Single Sided - 1 Person



### Single Sided - 2 Person



### Single Sided - 3 Person



SINGLE SIDED - STRAIGHT TOP - NO SCREEN			
Top Sizes (mm)	1 Person	2 Person	3 Person
	Code	Code	Code
1800W x 750D	Ⓐ B2xSS1875	Ⓑ B2xSS21875	Ⓒ B2xSS31875
1500W x 750D	B2xSS1575	B2xSS21575	B2xSS31575
1200W x 750D	B2xSS1275	B2xSS21275	B2xSS31275

Product code "x" = "S" for silver leg or "W" for white leg.


# Desk Top Screen - Straight Top Options

## “DESK-TOP” SCREEN


- 480 mm above desk height
- 32mm slimline finish
- Mounted with sturdy steel brackets
- Finish - “White 30” powder coated aluminium frame
- Commercial fabric - 4 standard colours (other colours available \$POA)
- “Tackable” Surface




## Back To Back - 2 Person



## Back To Back - 4 Person



## Back To Back - 6 Person



DOUBLE SIDED - STRAIGHT TOP - DESK TOP SCREEN			
Top Sizes (mm)	2 Person	4 Person	6 Person
	Code	Code	Code
1800W x 750D	ⓐ B2xBB21875	ⓐ B2xBB41875	ⓐ B2xBB61875
1500W x 750D	B2xBB21575	B2xBB41575	B2xBB61575
1200W x 750D	B2xBB21275	B2xBB41275	B2xBB61275

Product code “x” = “S” for silver leg or “W” for white leg.

# Breeze II Range

## Desk Top Screen - L-Shape Top Options



### WORK TOP

- Finished height 720mm + 10mm adjustable feet
- 25mm "E0" Melamine (Environmentally-Friendly)
- 1 x 80mm cable hole
- Quick Ship Melamine Colour - White 20 (other colours available \$POA)
- 2mm impact resistant solid PVC edging
- 750mm Deep in 4 sizes

### C-LEG FRAME (without top)


- Finished height 695mm + 10mm adjustable feet
- Extendable beams for support
- Finish - White or silver powder coat
- Strong steel construction
- Provision to run power & data in leg and beam
- Foot - 635mm or 420mm, prices based on 635mm

### 'X' configuration - 4 Person




'X' CONFIG. - L-SHAPE TOP - DESK TOP SCREEN	
Top Size (mm)	Ⓐ Code
1800W x 1800W x 750D	B2xLX41818S
1800W x 1500W x 750D	B2xLX41815S
1800W x 1200W x 750D	B2xLX41812
1500W x 1500W x 750D	B2xLX41515

### 'U' configuration - 2 person



'U' CONFIG. - L-SHAPE TOP - NO SCREENS	
Top Size (mm)	Ⓑ Code
1800W x 1800W x 750D	B2xLU21818S
1800W x 1500W x 750D	B2xLU21815S
1800W x 1200W x 750D	B2xLU21815S

### 'T' configuration - 2 person



'T' CONFIG. - L-SHAPE TOP - DESK TOP SCREEN	
Top Size (mm)	Ⓒ Code
1800W x 1800W x 750D	B2xLT21818S
1800W x 1500W x 750D	B2xLT21815S
1800W x 1200W x 750D	B2xLT21812
1500W x 1500W x 750D	B2xLT21515

Product code "x" = "S" for silver leg or "W" for white leg.

# Breeze II Range

## Managers Desks

### WORK TOP

- Finished height 720 mm + 10 mm adjustable feet
- 25mm "E0" Melamine (Environmentally-Friendly)
- Quick Ship Melamine Colours - Red Cherry, Select Beech and White 20 (other colours available \$POA)
- 2mm impact resistant solid PVC edging
- Optional Cable entry points available (\$POA) not included

### STANDARD LEG FINISHES



.SV



.WH

### QUICKSHIP COLOURS



WHITE

.WH



SELECT BEECH

.SB



RED CHERRY

.RC

### Managers desks & workstations with fitted melamine modesty

\*Distributors to source melamine modesties locally



Ⓐ MANAGERS DESKS WITH MODESTY	
Top Size (mm)	Code
1800W x 750D	B2xDK1875M
1500W x 750D	B2xDK1575M

Ⓑ MANAGERS WORKSTATION WITH MODESTY	
Top Size (mm)	Code
1800W x 1800W x 750D	B2xWS1818SM
1800W x 1500W x 750D	B2xWS1815SM
1800W x 1200W x 750D	B2xWS1812M
1500W x 1500W x 750D	B2xWS1515M

Many other colours & sizes available. Optional cable entry available.

### Managers desks & workstations with beams



Ⓒ MANAGERS DESKS WITH BEAMS	
Top Size (mm)	Code
1800W x 750D	B2xDK1875
1500W x 750D	B2xDK1575

Ⓓ MANAGERS WORKSTATION WITH BEAMS	
Top Size (mm)	Code
1800W x 1800W x 750D	B2xWS1818S
1800W x 1500W x 750D	B2xWS1815S
1800W x 1200W x 750D	B2xWS1812
1500W x 1500W x 750D	B2xWS1515

Also available to suit 1200w top.

### Fitted Return

Available In 2 Sizes - fixes to any Breeze II desk



Ⓔ FITTED RETURN	
To suit top depth	Code
900W x 600D	B2xRT0906
1200W x 600D	B2xRT1206

Many other colours & sizes available \$POA.

Product code "x" = "S" for silver leg or "W" for white leg.

# Breeze II Range

## Panel Screen - Straight Top Options


### WORK TOP

- Finished height 720mm + 10 mm adjustable feet
- 25mm "E0" Melamine (Environmentally-Friendly)
- 1 x 80mm cable hole
- Quick Ship Melamine Colour - White 20 (other colours available \$POA)
- 2mm impact resistant solid PVC edging
- 750mm Deep in 3 lengths


### C-LEG FRAME (without top)

- Finished height 695mm + 10mm adjustable feet
- Extendable beams for support
- Finish - White or silver powder coat
- Strong steel construction
- Provision to run power & data in leg and beam
- Foot - 635mm or 420mm, prices based on 635mm


### Single - 1 person



### Single Sided - 2 Person



### Single Sided - 3 Person



SINGLE SIDED - STRAIGHT TOP - PANEL SCREEN (1200H)			
Top Sizes (mm)	1 Person	2 Person	3 Person
	Code	Code	Code
1800W x 750D	Ⓐ B2xPSS1875	Ⓑ B2xPSS21875	Ⓒ B2xPSS31875
1500W x 750D	B2xPSS1575	B2xPSS21575	B2xPSS31575
1200W x 750D	B2xPSS1275	B2xPSS21275	B2xPSS31275


Product code "x" = "S" for silver leg or "W" for white leg.

## “PANEL” SCREEN - 1200mm High (480mm above desk top)


- 32mm slimline finish
- Available in 2 heights. 1200mm (shown) and 1500mm
- Available in 4 widths
- Finish - “White 30” powder coated aluminium frame
- Commercial fabric “Charcoal” (other colours available \$POA)
- White Melamine below desk top
- “Tackable” Surface




### Back To Back - 2 person



### Back To Back - 4 Person



### Back To Back - 6 Person



DOUBLE SIDED - STRAIGHT TOP - PANEL SCREEN (1200H)			
Top Sizes (mm)	2 Person	4 Person	6 Person
	Code	Code	Code
1800W x 750D	ⓐB2xPBB21875	ⓐB2xPBB41875	ⓐB2xPBB61875
1500W x 750D	B2xPBB21575	B2xPBB41575	B2xPBB61575
1200W x 750D	B2xPBB21275	B2xPBB41275	B2xPBB61275

Product code “x” = “S” for silver leg or “W” for white leg.

# Breeze II Range

## Panel Screen - L-Shape Top Options


### WORK TOP

- Finished height 720 mm + 10 mm adjustable feet
- 25mm "E0" Melamine (Environmentally-Friendly)
- 1 x 80mm cable hole
- Quick Ship Melamine Colour - White 20 (other colours available \$POA)
- 2mm impact resistant solid PVC edging
- 750mm Deep in 4 lengths

### C-LEG FRAME (without top)


- Finished height 695mm + 10mm adjustable feet
- Extendable beams for support
- Finish - White or silver powder coat
- Strong steel construction
- Provision to run power & data in leg and beam
- Foot - 635mm or 420mm, prices based on 635mm

### 'T' Configuration - 2 Person




'T' CONFIG. - L-SHAPE TOP - PANEL SCREENS (1200H)	
Top Size (mm)	Code
1800W x 1800W x 750D	Ⓐ B2xPLT21818S
1800W x 1500W x 750D	B2xPLT21815S
1800W x 1200W x 750D	B2xPLT21812
1500W x 1500W x 750D	B2xPLT21515

### 'U' Configuration - 2 Person





'U' CONFIG. L-SHAPE TOP - PANEL SCREEN 1200H	
Top Size (mm)	Code
1800W x 1800W x 750D	Ⓑ B2xPLU21818S
1800W x 1500W x 750D	B2xPLU21815S
1800W x 1200W x 750D	B2xPLU21812

### 'H' Configuration - 4 Person



'H' CONFIG. L-SHAPE TOP - PANEL SCREEN 1200H	
Top Size (mm)	Code
1800W x 1800W x 750D	Ⓒ B2xPLH41818S
1800W x 1500W x 750D	B2xPLH41815S
1800W x 1200W x 750D	B2xPLH41812

### 'X' Configuration - 4 Person



'X' CONFIG. - L-SHAPE TOP - PANEL SCREENS (1200H)	
Top Size (mm)	Code
1800W x 1800W x 750D	Ⓓ B2xPLX41818S
1800W x 1500W x 750D	B2xPLX41815S
1800W x 1200W x 750D	B2xPLX41812
1500W x 1500W x 750D	B2xPLX41515


Product code "X" = "S" for silver leg or "W" for white leg.

## “PANEL” SCREEN - 1200mm High (480mm above desk top)

- 32mm slimline finish
- Available in 2 heights. 1200mm (shown) and 1500mm
- Available in 4 widths
- Finish - “White 30” powder coated aluminium frame
- Commercial fabric “Charcoal” (other colours available \$POA)
- White Melamine below desk top
- “Tackable” Surface





### Mirrored ‘F’ Configuration - 6 Person




‘FF’ CONFIG. L-SHAPE TOP - PANEL SCREEN 1200H	
Top Size (mm)	Code
1800W x 1800W x 750D	Ⓔ B2xPL61818S
1800W x 1500W x 750D	B2xPL61815S
1800W x 1200W x 750D	B2xPL61812

### ‘X’ Configuration - 8 Person



‘XX’ CONFIG. L-SHAPE TOP - PANEL SCREEN 1200H	
Top Size (mm)	Code
1800W x 1800W x 750D	Ⓕ B2xPLX81818S
1800W x 1500W x 750D	B2xPLX81815S
1800W x 1200W x 750D	B2xPLX81812

### ‘H’ Configuration - 8 Person



‘HH’ CONFIG. L-SHAPE TOP - PANEL SCREEN 1200H	
Top Size (mm)	Code
1800W x 1800W x 750D	Ⓖ B2xPLH81818S
1800W x 1500W x 750D	B2xPLH81815S
1800W x 1200W x 750D	B2xPLH81812

Product code “x” = “S” for silver leg or “W” for white leg.

# Breeze II Range

## Panel Screen - 120° Top Options


### WORK TOP

- Finished height 720 mm + 10 mm adjustable feet
- 25mm "E0" Melamine (Environmentally-Friendly)
- 1 x 80mm cable hole
- Melamine Colour - Laminex White 200 Vertiboard (other colours available \$POA)
- 2mm impact resistant solid PVC edging
- 650mm Deep



### C-LEG FRAME (without top)

- Finished height 695mm + 10mm adjustable feet
- Extendable beams for support
- Finish - White or silver powder coat
- Strong steel construction
- Provision to run power & data in leg and beam
- Foot - 635mm or 420mm, prices based on 635mm



### 120° Configuration - 3 Person



### 120° Configuration - 6 Person



### 120° Configuration - 9 Person



120° TOP 1200W x 1200W x 650D PANEL SCREEN 1200H	Seats	Code
	3 person	(A) B2xP12031212
	6 person	(B) B2xP12061212
	9 person	(C) B2xP12091212

Product code "x" = "S" for silver leg or "W" for white leg.

### “PANEL” SCREEN - 1200mm High (480mm above desk top)

- 32mm slimline finish
- Available in 2 heights. 1200mm (shown) and 1500mm
- Available in 4 widths (1200mm shown)
- Finish - “White 30” powder coated aluminium frame
- Commercial fabric “Charcoal” (other colours available \$POA)
- White Melamine below desk top
- “Tackable” Surface

### STANDARD LEG FINISHES



.SV




.WH



# Breeze II Range

## Component Options

### Work Tops




WORK TOPS - WHITE	
Size (mm)	Code
1800W x 750D	CCDE1875
1500W x 750D	CCDE1575
1200W x 750D	CCDE1275
1200W x 1200W x 650D	CCDL120
1800W x 1800W x 750D	CCDE1818S
1800W x 1500W x 750D	CCDE1815S
1800W x 1200W x 750D	CCDE1812
1500W x 1500W x 750D	CCDE1515

Many other colours & sizes available.


### Frames

#### Single Frames


**(A) End Leg**  
Suits 750D work tops




**(B) Shared Leg**  
Suits 750D work tops




**(C) Return Leg**  
Suits 600D work tops




**(D) Shared Leg**  
Suits 600D work tops




**(E) Corner Leg**  
90° post for beams




**(F) Corner Leg**  
120° post for beams



**(G) Corner Leg**  
90° post for melamine modesty




**(H)-(J) Beams**  
to suit tops 850-2100



C-LEG WHITE OR SILVER POWDERCOAT	
Leg Type (mm)	Code
(A) C-leg End - 750d top	B2LG635L/R
(B) C-leg Shared - 750d top	B2LG635S
(C) C-leg End - 600d top	B2LG420L/R
(D) C-leg Shared - 600d top	B2LG420S
(E) Corner post 90° (for beam)	B2CP90
(F) Corner post 120° (for beam)	B2CP120
(G) Corner post 90° (for modesty)	B2CPM
(H) Beam (suits 850 - 1200)	B2BM0810
(I) Beam (suits 1200 - 1500)	B2BM1215
(J) Beam (suits 1500 - 2100)	B2BM1521

## Screens


### Panel Screens



FULL HEIGHT SCREEN PANELS - CHARCOAL FABRIC TOP		
Screen Size (mm)	Freestanding Code	Screen Only Code
1200H x 1200W	CTFS1212	CCLS1212
1200H x 1500W	CTFS1215	CCLS1215
1200H x 1800W	CTFS1218	CCLS1218
1200H x 750W	CTFS1275	CCLS1275
1500H x 1200W	CTFS1512	CCLS1512
1500H x 1500W	CTFS1515	CCLS1515
1500H x 1800W	CTFS1518	CCLS1518
1500H x 750W	CTFS1575	CCLS1575

Many other sizes and colours available.  
Use code ctad12/15.

### Desk Top Screens




DESK MOUNTED SCREEN - 4 STANDARD COLOURS		
Screen Size (mm)	With clamp brackets & trims	Screen Only
	Code	Code
1800W x 480H	CTDC0518	CCDM0518
1500W x 480H	CTDC0515	CCDM0515
1200W x 480H	CTDC0512	CCDM0512
750W x 480H		CCDM0575

Many other sizes & colours available. Use code ctadmm \$POA

### Return Screens




### Desk Hung Screens



DESK HUNG SCREEN - 2 STANDARD COLOURS	
Screen Size (mm)	Code
1800W x 900D	CTDH0918
1500W x 900D	CTDH0915
1200W x 900D	CTDH0912
750W x 900D	CTDH0915

### Compact Laminate Screens - Desk Mount

Suits 1800W, 1500W & 1200W work tops




DESK MOUNTED SCREEN - COMPACT LAMINATE	
Screen Size (mm)	Code
350H x 1700W	CCCL0317
350H x 1400W	CCCL0314
350H x 1100W	CCCL0311
350H x 650W	CCCL0365

Many other sizes & colours available.

### Compact Laminate Screens - Desk Hung

Brackets included



DESK HUNG SCREEN - COMPACT LAMINATE (INC. BRACKETS)	
Screen Size (mm)	Code
785H x 1700W	CCCL0817
785H x 1400W	CCCL0814
785H x 1100W	CCCL0811
900H x 1800W	CCCL0918
900H x 1500W	CCCL0915
900H x 1200W	CCCL0912

Many other sizes & colours available.

# Breeze II Range

## Modular Wiring Solutions

Modular wiring, softwiring or 'plug & play wiring' enables the easy use and re-use of electrical wiring components when installing or re-configuring commercial office workstations without the waste associated with hard wiring.

### Benefits include:

- Safe & tidy solution for cable management
- Cost effective in comparison with the conventional hardwired solution
- Simple design to allow for adding or subtracting components as required
- Adaptable to suit all power and data requirements
- Easy to install or relocate when required
- Environmentally friendly - all product recyclable

### Above Work Top



Ⓐ Flip Box - 2 GPO + 2 USB




Ⓑ Flip Box - 4 GPO + 3 Data



Ⓒ Power Rail - 4 GPO + 3 Data

### Below Work Top



Ⓓ Cable Management



Ⓔ Cable Umbilical

### From Ceiling



Ⓕ Power Pole



Ⓖ Umbilical

MODULAR WIRING (BUDGETRY PRICES ONLY)		
Ref.	Item	Code
A	Flip Box - 2GPO/2USB	SOFTQFLIPBOX1
B	Flip Box - 4GPO/3Data	SOFTQFLIPBOX2
C	Power Rail - 4GPO/3Data	SOFTQABOVE
D	Cable Management	SOFTQUNDER
E	Cable Umbilical	ALTU1300
F	Power Pole	SOFTQPOLE
G	Umbilical	SOFTQUMBILICAL

# Breeze II Range

## Storage & Accessories

### Shelf

600W X 300D Melamine 25mm Shelf - White Powdercoat Metal Frame



(M) Screen Hung Shelf  
For Panel System Only




(N) Desk Mounted Shelf

### Screen Hung Accessories

White Powdercoat Finish  
Suitable for Panel screens only



(O) A4 Document Tray



(P) Binder File



(Q) 4 Compartment Magazine File



Ref.	Item	Dimensions (mm)	Code
M	Screen Hung Shelf	600W x 300D	CTAC600
N	Desk Mount Shelf	600W x 300D	CTDMSH
O	A4 Document Tray	305W x 230D x 64H	CCAC02L
P	Binder File	154W x 305D x 300H	CCAC04
Q	4 Comp. Magazine File	235W x 220D x 262H	CCAC03



For more information about this range,  
contact your local Shape distributor  
using the details below:

